


## APPENDIX: CHARTS AND TABLES

(Arranged by survey question number that is succeeded at the end by a section that profiles survey respondents versus the census)

## QUESTION 1




Age Group	Percent of Respondents	Total Respondents
15 to 19	20.71	88
20 to 24	16.94	72
25 to 29	14.35	61
30 to 34	13.88	59
35 to 39	13.41	57
40 to 44	7.29	31
45 to 49	13.41	57
No response	0.00	0

425


n=425 responses

## QUESTION 2



Civil Status groups:	Percent of Respondents
Single	41.65
Married	50.35
In Union	3.29
Divorced	0.47
Separated	0.94
Widowed/ Widower	3.06

QUESTION 2: CIVIL STATUS, BY AGE



Percentages						
Age by Civil Status	Single	Married	In Union	Divorced	Separated	Widowed / Widower
15-19	96.6	2.3	1.1	0.0	0.0	0.0
20-24	69.4	27.8	1.4	0.0	1.4	0.0
25-29	34.4	57.4	6.6	0.0	0.0	1.6
30-34	20.3	71.2	6.8	0.0	1.7	0.0
35-39	10.5	80.7	3.5	3.5	0.0	1.8
40-44	9.7	80.6	3.2	0.0	3.2	3.2
45-49	1.8	77.2	1.8	0.0	1.8	17.5

n=425 responses

## QUESTION 3

<b>Ethnic Status</b>	<b>Percent of Respondents</b>	<b>Total Respondents</b>
Kakchiquel	97.98	389
Latino/a	2.02	8
No response	7.05	28
		425

**n=397 responses**

## QUESTION 4



Occupation Class	Percent of Respondents	Total Respondents
Construction / General Labor	30.92	77
Agriculture	24.90	62
Artisan	2.81	7
Retail and Services	22.49	56
Skilled Services	7.23	18
Education	5.62	14
Professional	3.61	9
Out-of-country laborer	2.41	6

249

**n=249 responses\***

\* students not included b/c some students reported 'don't have an occupation' (n=16 students)

## QUESTION 4.1




Don't have an occupation	1.88
Permanent	70.30
Temporary or Seasonal	27.82
Total respondents	266

## QUESTION 4.2

Number of respondents	260
Outside the home	80.77
Within the home	19.23

## QUESTION 5




Occupation Class	Percent of Respondents	Total Respondents
Construction / General Labor	0.00	0
Agriculture	0.44	1
Artisan (Weaver)	61.95	140
Retail and Services	26.99	61
Skilled Services	4.42	10
Education	4.42	10
Professional	1.77	4
Out-of-country laborer	0.00	0

226

**n=226 responses\***

\* students not included b/c some students reported 'don't have an occupation' (n=17 students)

## QUESTION 5.1




Number of Respondents	323
Don't have an occupation	27.86
Permanent	43.34
Temporary or seasonal	28.79

## QUESTION 5.2

Number of respondents	232
Outside the home	27.27
Within the home	73.16


## QUESTION 6



Education Level Completed	Percent of Respondents	Total Respondents
None	6.21	26
Primary/elementary	37.71	158
Middle school/ junior high	27.45	115
Secondary/high school	25.06	105
University	3.58	15
No response	1.43	6
		425

**n=419 responses**

## QUESTION 6: LEVEL OF EDUCATION, BY GENDER



Education Level Completed	Female	Male	Female Total	Male Total
None	6.9	4.6	20	6
Primary/elementary	41.2	30.0	119	39
Middle school/ junior high	27.7	26.9	80	35
Secondary/high school	22.1	31.5	64	41
University	2.1	6.9	6	9
			289	130

**n=419 responses: 289 female / 130 male**

## QUESTION 7

<b>Able to read and write</b>	<b>Percent of Respondents</b>	<b>Total Respondents</b>
No	5.19	22
A little	0.71	3
Yes	94.10	399
No response	0.24	1

425

**n=424 responses**


## QUESTION 8

<b>Able to speak Spanish</b>	<b>Percent of Respondents</b>	<b>Total Respondents</b>
No	1.67	7
Yes	98.33	413
No response	1.19	5

425

**n=420 responses**

## QUESTION 9




Religion	Percent of Respondents	Total Respondents
Catholic	64.37	271
Evangelical	31.83	134
Traditional / Other	1.19	5
None	2.61	11
No response	0.95	4

425

n=421 responses

## QUESTION 10




Household Amenities	Percent of Respondents*	Total Responses
Electricity	97.41	414
Car or Pickup	22.82	97
Motorcycle	8.00	34
Toilet	97.41	414
Town Water	90.12	383
Television	87.06	370
Telephone or Cellular Phone	74.12	315
Internet	3.06	13
In-house Water Well	12.00	51
Bicycle	73.88	314
	565.88	2405

**n=425 responses**

\* Responses exceed respondents and percent exceeds 100% because respondents were instructed to 'check all that apply'

## QUESTION 11



Age at First Sexual Experience	Percent of Respondents	Total Respondents
No Experience	38.48	157
12 - 15	4.66	19
16 - 19	24.26	99
20 - 23	20.83	85
24 - 27	7.84	32
28 - 31	2.94	12
32 - 35	0.49	2
36 - 39	0.49	2

408


**n=408 responses**

**Average age at first sexual experience both sexes = 20.35**

**Average age at first sexual experience for females = 20.3**

**Average age at first sexual experience for males = 20.4**

## QUESTION 11: AGE AT FIRST SEXUAL EXPERIENCE, BY GENDER



Age at First Sexual Experience	All Respondents	Females	Males
No Experience	38.48	37.98	39.67
12-15	4.66	4.18	5.79
16-19	24.26	26.13	19.83
20-23	20.83	19.86	23.14
24-27	7.84	7.67	8.26
28-31	2.94	2.79	3.31
32-35	0.49	0.70	0.00
36-39	0.49	0.70	0.00
	100.00	100.00	100.00


**n=408 responses**

**Average age at first sexual experience = 20.35**

Female average age at first sexual experience = 20.3

Male average age at first sexual experience = 20.4

## QUESTION 11: AGE AT FIRST SEXUAL EXPERIENCE, BY RELIGIOUS AFFILIATION



Age at First Sexual Experience	Catholic	Evangelical	Total Respondents	Catholic Respondents	Evangelical Respondents
No Experience	35.80	43.94	150	92	58
12 - 15	4.28	3.03	15	11	4
16 - 19	27.63	17.42	94	71	23
20 - 23	21.79	20.45	83	56	27
24 - 27	8.56	6.82	31	22	9
28 - 31	1.56	6.06	12	4	8
32 - 35	0.39	0.76	2	1	1
36 - 39	0.00	1.52	2	0	2
	100.00	100.00	389	257	132

**n=408 responses**

**Average age at first sexual experience = 20.35**

Catholics avg. age at first sexual experience = 19.9

Evangelicals avg age at first sexual experience = 21.7


## QUESTION 12

Ever been Pregnant?	Percent of Respondents	Total Respondents*
No	7.02	12
Yes	92.98	159
		171

**n=171 responses**

\* Includes female respondents with sexual experience (total female respondents = 300)

## QUESTION 13



Number of Times Pregnant	Percent of Respondents	Number of Respondents
0	6.59	12
1	10.44	19
2	13.74	25
3	14.84	27
4	17.58	32
5	8.24	15
6	9.89	18
7	7.69	14
8	5.49	10
9	1.10	2
10	2.75	5
11	0.55	1
12	1.10	2


182

**n=182 respondents**

**Average Times Pregnant = 4.08**

\* This does not constitute avg. # of times pregnant per woman during childbearing years, as this includes all age groups, e.g., avg. times pregnant for those 35+ is 5.42 and for those 40+ is 5.75.

## QUESTION 13: NUMBER OF TIMES PREGNANT, BY AGE



Number of Times Pregnant, by Age	Average Times Pregnant
15-19	0.02
20-24	1.7
25-29	2.3
30-34	3.7
35-39	4.9
40-44	5.0
45-49	5.8

**n=180 respondents**

**Average Times Pregnant = 4.08**


## QUESTION 13 (NUMBER OF TIMES PREGNANT) BY AGE

Age	Number of Times Pregnant						No Sexual Experience
	0*	1-2	3-4	5-6	7-8	Over 8	
15-19	1.1	1.1	0.0	0.0	0.0	0.0	97.7
20-24	6.5	17.7	8.1	0.0	0.0	0.0	67.7
25-29	0.0	45.7	15.2	4.3	0.0	0.0	34.8
30-34	10.0	2.5	40.0	27.5	2.5	0.0	17.5
35-39	2.3	11.6	27.9	23.3	23.3	2.3	9.3
40-44	0.0	15.0	35.0	15.0	20.0	5.0	10.0
45-49	4.9	4.9	29.3	17.1	22.0	19.5	2.4

\* 0 is percent of females with sexual experience that have no children (excludes those with 'no experience')

\*\* No singles under 25 report ever being pregnant

QUESTION 13 (NUMBER OF TIMES PREGNANT) BY CIVIL STATUS




**Times Pregnant, by Civil**

<b>Status</b>	0	1-2	3-4	5-6	7-8	Over 8
Married	1.1	15.8	52.6	14.2	11.1	5.3
Single	96.6	2.2	1.1	0.0	0.0	0.0

\* No singles under 25 report ever being pregnant


QUESTION 13 (NUMBER OF TIMES PREGNANT) BY FEMALE OCCUPATION



Average Number of Times Pregnant, by Female Occupation: No appreciable difference

<b>Occupation Class</b>	0	1-2	3-4	5-6	7-8	Over 8
Artisan	4.9	26.8	28.0	18.3	14.6	7.3
Retail and Services	9.4	21.9	34.4	12.5	15.6	6.3


**QUESTION 13 (NUMBER OF TIMES PREGNANT) BY FEMALE OCCUPATION STATUS**



**Average Number of Times Pregnant, by Female Occupation Status**

No Occupation	4.75	
Permanent Work	4.42	(74% with permanent work, report that they work inside the home; for temporary/seasonal, 82% work inside the home, so regardless of permanent or temp. work most work is within the home) (Also, 6 women with permanent work have at least 10 children and this has skewed this avg. somewhat; exclusion of these 6 leaves an avg. of 3.81 # of times pregnant per woman)
Temporary or Seasonal Work	3.92	


**QUESTION 13 (NUMBER OF TIMES PREGNANT) BY FEMALE WORKPLACE STATUS**



**Average Number of Times Pregnant, by Female Workplace Status**

Work within the Home (avg.)	4.18
Work outside the Home (avg.)	3.48


**QUESTION 13 (NUMBER OF TIMES PREGNANT) BY FEMALE EDUCATION COMPLETED**




**Average Number of Times Pregnant, by Female Level of Education Completed**

None	6.95
Primary/elementary	4.58
Middle school/junior high	3.19
Secondary/high school	2.82

QUESTION 13 (NUMBER OF TIMES PREGNANT) BY FEMALE EDUCATION COMPLETED (alternate chart form)




**QUESTION 13 (NUMBER OF TIMES PREGNANT) BY FEMALE RELIGIOUS AFFILIATION**



**Average Times Pregnant (includes only those that have ever been pregnant)**

Catholic	4.66
Evangelical	3.5

QUESTION 13 (NUMBER OF TIMES PREGNANT) BY HOUSEHOLD AMENITIES



**Average Number of Times Pregnant, by Household Amenities (only car/pick-up and in-house well; others had too few respondents or couldn't be differentiated, e.g., over 90% of respondents had those amenities)**

Car/Pick-up truck	4.35
In-House well	Insufficient observations to have credible outcome
Neither car/pick-up nor well	4.28

**(Inconclusive/not statistically significant)**


Amenities	0	1-2	3-4	5-6	7-8	Over 8	Avg. times pregnant
Car or pick-up	5.6	19.4	36.1	25.0	8.3	5.6	4.11
Television	5.2	25.8	33.5	18.7	11.0	5.8	4.06
Phone or cell phone	7.4	24.8	33.1	19.8	9.9	5.0	3.9
In-house well ** (17)	11.8	17.6	5.9	47.1	5.9	11.8	4.82
Bicycle	5.1	26.3	30.5	18.6	13.6	5.9	4.14
Absence of these amenities *** (11)	18.2	18.2	36.4	9.1	18.2	0.0	

\* all numbers given above are percentages of respondents with listed amenity.

\*\* only 17 responses on in-house well (insufficient data to cite)

\*\*\* only 11 responses on absence of all these amenities (insufficient to cite)


QUESTION 13 (NUMBER OF TIMES PREGNANT) BY MALE OCCUPATION



**Average Number of Times Pregnant, by Male Occupation**

Construction	4.37
Agriculture	5.26
Retail and Services	4.15


QUESTION 13 (NUMBER OF TIMES PREGNANT) BY MALE OCCUPATION STATUS



**Average Number of Times Pregnant, by Male Occupation Status**

Permanent Work	4.43
Temporary or Seasonal Work	4.00

QUESTION 13 (NUMBER OF TIMES PREGNANT) BY MALE WORKPLACE STATUS




**Average Number of Times Pregnant, by Male Occupation Workplace Status**

Work within the home 4.23

Work outside home 4.29

## QUESTION 14



Number of respondents: 166


Age of First Pregnancy (Females)	Percent of Respondents	Total Respondents
10-12	0.60	1
13-15	1.81	3
16-18	27.11	45
19-21	37.35	62
22-24	16.87	28
25-27	10.24	17
28-30	4.82	8
31-33	1.20	2

166


n=166 respondents

**Average = 20.75 years**  
**(Avg. age at 1<sup>st</sup> sexual exper.**  
**for females = 20.3)**

QUESTION 14 (inset for previous chart for question 14, this showing only ages 20-24)



## QUESTION 14 (AGE AT FIRST PREGNANCY) BY LEVEL OF EDUCATION



<b>Average Age at First Pregnancy, by Level of Education*</b>	<b>Average Age</b>
None	19.5
Primary/elementary	20.1
Middle school/ junior high	20.7
Secondary/high school	23.6

\* Only 1 respondent had completed university educ., so it was excluded here.


**n=163 responses**

## QUESTION 14 (AGE AT FIRST PREGNANCY) BY RELIGION

<b>Average Age at First Pregnancy, by Religion</b>	<b>Average Age</b>
Catholic	20.5
Evangelical	21.5

**n=161 responses**

## QUESTION 15



Number of Children	Percent of Respondents	Total Respondents
0	6.67	12
1	11.67	21
2	13.89	25
3	17.22	31
4	15.56	28
5	9.44	17
6	10.00	18
7	7.22	13
8	4.44	8
Over 8	3.89	7

180

**n = 180 respondents**

**Average # Children = 3.86**

**Avg. times pregnant = 4.08**

## QUESTION 16

**n=159 respondents**

**Average # of Children with Current**

**Partner = 3.89**

**(avg. # of children = 3.86**

## QUESTION 17


<b>Currently Pregnant?</b>	<b>Percent of Respondents</b>	<b>Total Respondents*</b>
No	92.44	159
Yes	7.56	13

172

**n=172 responses**

\* Includes female respondents with sexual experience (total female respondents = 300)

## QUESTION 18



Age at First Child's Birth (Males)	Percent of Respondents	Total Respondents*
13-15	1.49	1
16-18	10.45	7
19-21	26.87	18
22-24	29.85	20
25-27	17.91	12
28-30	7.46	5
31-33	4.48	3
34-36	1.49	1

67


**n=67 responses**

\* Includes male respondents with sexual experience (total male respondents = 131)

**Average age at first child's birth (males) = 23.0 Years**

**(Avg. age at first sexual experience (males) = 20.4**

QUESTION 18 MALES (AGE WHEN FIRST CHILD BORN) BY LEVEL OF EDUCATION



\*based on only 3 responses

<b>Males: Average Age at Birth of First Child, by Level of Education</b>	<b>Average Age</b>
None	20.3
Primary/elementary	22.2
Middle school/ junior high	23.4
Secondary/high school	24.9
University*	25.0


**n=66 responses**

## QUESTION 18 MALES (AGE WHEN FIRST CHILD BORN) BY RELIGION

Average Age at Birth of First Child, by Religion	Average Age
Catholic	23.0
Evangelical	23.2

**n=63 responses**

## QUESTION 19



Number of Children (Males)	Percent of Respondents	Total Respondents*
0	2.94	2
1	11.76	8
2	20.59	14
3	19.12	13
4	8.82	6
5	10.29	7
6	10.29	7
7	10.29	7
8	5.88	4


68

**n=68 responses**


\* Includes male respondents with sexual experience (total male respondents = 131)

**Average number of children (males) = 3.78**

## QUESTION 19b (QUESTIONS 19 &amp; 20)



## QUESTION 20



Number of Children with Current Partner (Males)	Percent of Respondents	Total Respondents*
0	4.48	3
1	11.94	8
2	20.90	14
3	19.40	13
4	7.46	5
5	8.96	6
6	10.45	7
7	10.45	7
8	5.97	4

67

**n=67 responses**


\* Includes male respondents with sexual experience (total male respondents = 131)

## QUESTION 21

Aware of Birth Control	Percent of Respondents	Total Responses
Yes	59.33	248
No	40.67	170
		418

**n=418 respondents**

## QUESTION 21 (AWARE OF BIRTH CONTROL METHODS) BY GENDER



Aware of any birth control methods, by gender	Female	Male	Combined
Yes	56.90	64.84	59.33
No	43.10	35.16	40.67


n=290 female responses

n=128 male responses

n=418 total responses

\*\*\*\* Difference between females and males is not statistically significant

## QUESTION 21 (AWARE OF BIRTH CONTROL METHODS) BY AGE AND GENDER



'Yes' response to aware of any birth control methods?	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Female	58.9	65.4	64.3	52.6	45.2	63.2	48.8
Male	51.6	78.9	83.3	61.1	60.0	58.3	66.7

n=165 female 'yes' responses; 83 male 'yes' responses


Total Female Responses = 290

Total Male Responses = 128

## QUESTION 21 (AWARE OF BIRTH CONTROL METHODS) BY CIVIL STATUS

'Yes' to aware of any birth control methods, by civil status	Percent 'Yes'	Total 'yes'	Total 'yes' and 'no'
Single	60.6	106	175
Married	57.8	122	211

## QUESTION 21 (AWARE OF BIRTH CONTROL METHODS) BY EDUCATION




'Yes' to aware of any birth control methods, by level of education	Percent 'Yes'	Total 'yes'	Total 'yes' and 'no'
None	30.8	8	26
Primary/elementary	42.3	66	156
Middle school/ junior high	65.8	73	111
Secondary/high school	81.7	85	104
University*	100.0	15	15

412

**n=412 responses**

\* n = 15 respondents

QUESTION 21 (AWARE OF BIRTH CONTROL METHODS) BY RELIGION



'Yes' to aware of any birth control methods, by religion	Percent 'Yes'	Total 'yes'	Total 'yes' and 'no'
Catholic	57.6	152	264
Evangelical	61.9	83	134
None*	63.6	7	11

409

**n=414 responses**

\* Represents 11 of 414 responses

**QUESTION 21 (AWARE OF BIRTH CONTROL METHODS) BY HOUSEHOLD AMENITIES**

'Yes' to aware of any birth control methods, by household amenities	Percent 'Yes'
Car or pick-up truck	60.8
Television	61.5
Telephone/cell phone	65.8
In-house well	65.4
Bicycle	58.7

**n=425 responses**

(no appreciable differences in these percentages, ranging from 59% to 66%)

QUESTION 21 (AWARE OF BIRTH CONTROL METHODS) BY EVER BEEN PREGNANT


'Yes' to aware of any birth control methods, by ever been pregnant	Percent 'Yes'	Total 'yes'	Total 'yes' and 'no'
Been pregnant	58.9	93	158
Never been pregnant*	66.7	8	12

170

**n=170 responses**

\* Only 12 of the 170 female respondents with sexual experience have never been pregnant


QUESTION 21 (AWARE OF BIRTH CONTROL METHODS) BY NUMBER OF TIMES PREGNANT



'Yes' to aware of any birth control methods, by number of times pregnant	Percent 'Yes'
0	66.7
1-2	74.4
3-4	55.9
5-6	56.3
7-8	50.0
Over 8	35.0

**n=170 responses**

## QUESTION 22




<b>Birth Control Methods Aware of?</b>	<b>Percent of Respondents*</b>	<b>Total Responses*</b>
Condoms	75.52	182
Female sterilization	42.32	102
Male sterilization	40.25	97
Abstinence	9.13	22
Withdrawal	6.22	15
Pill	75.10	181
Implant (Norplant, Jadelle)	6.64	16
IUD	34.85	84
Injection	71.37	172
Vaginal Methods (diaphragm, sponge)	9.96	24
Rhythm	29.46	71
Collar	13.69	33
Billings (temp. method)	9.13	22
Other	2.07	5
No Response (among those aware of birth control methods; 'yes' to question 21)	4.15	10
	429.88	1036

**n=241 respondents (170 answering 'no' to question 21 not asked this question)**

\* Responses exceed respondents and percent exceeds 100% because Respondents were instructed to 'check all that apply'

## QUESTION 22 (BIRTH CONTROL METHODS AWARE OF) BY GENDER




Birth Control Methods Aware of?	% of Females	% of Males
Condoms	66.06	87.95
Female sterilization	37.58	48.19
Male sterilization	35.76	45.78
Abstinence	6.67	13.25
Withdrawal	5.45	7.23
Pill	75.76	67.47
Implant (Norplant, Jadelle)	7.27	4.82
IUD	35.15	31.33
Injection	73.94	60.24
Vaginal Methods (diaphragm, sponge)	9.09	10.84
Rhythm	30.30	25.30
Collar	11.52	16.87
Billings (temp. method)	7.88	10.84

**n=165 female respondents (those answering 'no' to question 21 not asked this question)**

**n=83 male respondents (those answering 'no' to question 21 not asked this question)**


\* Responses exceed respondents and percent exceeds 100% because respondents were instructed to 'check all that apply'

## QUESTION 23



Under 9	1.24		
9-11	4.56		
12-14	19.09		
15-17	27.39		
18-20	19.09		
21-23	8.71		
24-26	9.13		
27-30	7.05		
Over 30	3.73		
<b>Average age first learned about birth control = 18.55</b>			

**QUESTION 23: AGE FIRST LEARNED ABOUT BIRTH CONTROL METHODS, BY GENDER**



<b>Age first learned about birth control methods, by gender</b>	<b>All</b>	<b>Female</b>	<b>Male</b>
Under 9	1.24	1.9	0.0
9-11	4.56	5.0	3.8
12-14	19.09	16.1	25.0
15-17	27.39	23.0	36.3
18-20	19.09	19.9	17.5
21-23	8.71	9.9	6.3
24-26	9.13	11.2	5.0
27-30	7.05	7.5	6.3
Over 30	3.73	5.6	0.0

**Average age first learned about birth control = 18.55**


**Average age females first learned about birth control = 19.25**

**Average age males first learned about birth control = 17.15**

**n=161 female respondents (those answering 'no' to question 21 not asked this question)**

**n=80 male respondents (those answering 'no' to question 21 not asked this question)**

**QUESTION 23: AGE FIRST LEARNED ABOUT BIRTH CONTROL METHODS, BY RELIGIOUS AFFILIATION**



Age first learned about birth control methods, by religion	Catholic	Evangelical
Under 9	2.0	0.0
9-11	4.1	5.0
12-14	20.3	15.0
15-17	20.3	38.8
18-20	20.9	18.8
21-23	8.1	10.0
24-26	9.5	7.5
27-30	9.5	3.8
Over 30	5.4	1.3


**n=148 Catholic respondents (those answering 'no' to question 21 not asked this question)**

**n=80 Evangelical respondents (those answering 'no' to question 21 not asked this question)**

**Average Age when first learned about birth control methods**

Catholic	19.20
Evangelical	17.68

## QUESTION 24




Where Obtained Information about Birth Control Methods?	Percent of Respondents*	Total Responses*
Family Planning Talk	7.88	19
Counseling	1.24	3
Health promoter	23.24	56
Medical care provider	5.39	13
School	44.40	107
Church	8.30	20
Media	19.09	46
Midwife	1.24	3
Friends	6.22	15
Home/Parents	2.49	6
Other	3.73	9
Don't know	0.00	0
No Response (among those aware of BC; 'yes' to question 21)	8.30	20
	123.24	297

**n=241 respondents (the 170 answering 'no' to question 21 were not asked this question)**

\* Responses exceed respondents and percent exceeds 100% because Respondents were instructed to 'check all that apply'

## QUESTION 24 (SOURCE FOR BIRTH CONTROL METHODS) BY GENDER



Where did you obtain birth control method information?	Total	Female	Male
Family planning talk	7.9	8.7	6.3
Counseling	1.2	0.0	3.8
Health promoter	23.2	27.3	15.0
Medical care provider	5.4	5.6	5.0
School	44.4	40.4	52.5
Church	8.3	6.8	11.3
Media	19.1	18.6	20.0
Midwife	1.2	1.9	0.0
Friends	6.2	3.7	11.3
Home/parents	2.5	3.7	0.0

**n=161 female respondents (those answering 'no' to question 21 not asked this question)**

**n=80 male respondents (those answering 'no' to question 21 not asked this question)**

## QUESTION 25 (EVER USED A BIRTH CONTROL METHOD)\*

Ever used a birth control method (including natural)*	Total
Yes	45.4
No	54.6

**n=152 responses\***

\* Excludes those with 'no sexual experience' (question 11) (only 1 person with no sexual experience said he has ever used a birth control method).


## QUESTION 25 (EVER USED A BIRTH CONTROL METHOD)\*

Ever used a birth control method (including natural)*	Single
Yes	8.7
No	91.3

**n=152 responses\***

\* Includes all respondents

## QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY GENDER




Ever used a birth control method (including natural)	Females	Males	Total
Yes	47.6	40.8	45.4
No	52.4	59.2	54.6

**n=152 responses\***

QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY AGE

\* too few respondents to segregate this by age AND gender



<b>Percents</b>							
'Yes' response to ever used any birth control methods?	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Female	0.0	53.8	57.1	35.0	44.4	66.7	36.8
Male	0.0	50.0	53.8	100.0	37.5	37.5	30.0
All	0.0	52.4	55.9	45.8	42.3	55.0	34.5

**n=157 respondents\***

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

## QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY CIVIL STATUS


'Yes' response to ever used any birth control methods?*	Percent
Single	44.4
Married	45.9

n= 18 single respondents

n= 122 married respondents

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY LEVEL OF EDUCATION



'Yes' response to ever used any birth control methods?*	Percent 'Yes'	Total 'yes'	Total
None	25.0	2	8
Primary/ elementary	36.9	24	65
Middle school/ junior high	65.7	23	35
Secondary/high school	45.2	19	42
University	50.0	5	10

160

**n=160 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

## QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY RELIGION


'Yes' response to ever used any birth control methods?*	Percent 'Yes'
Catholic	44.0
Evangelical	48.0

**n=150 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\*\* insufficient numbers of respondents in other religions to include them

QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY HOUSEHOLD AMENITIES




'Yes' response to ever used any birth control methods?*	Percent 'Yes'
Car or pick-up truck**	60.0
Television	47.9
Telephone/cell phone	48.9
In-house well	52.2
Bicycle	47.8

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* This difference is not statistically significant because of the relatively lower response rate (n=40) for this category

QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY NUMBER OF TIMES PREGNANT



'Yes' response to ever used any birth control methods?*	Percent 'Yes'	Total 'yes'	Total
0	60.0	3	5
1-2	38.7	12	31
3-4	54.5	18	33
5-6	44.4	8	18
7-8	50.0	6	12
Over 8	33.3	1	3

**n=170 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* Only 5 respondents for '0' and 3 respondents for 'Over 8'

QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY NUMBER OF CHILDREN (MEN)

'Yes' response to ever used any birth control methods?*	Percent 'Yes'	Total 'yes'	Total
0	0.0	0	1
1-2	56.3	9	16
3-4	53.8	7	13
5-6	20.0	1	5
7-8	28.6	2	7
Over 8	#DIV/0!	0	0

**n=170 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\*\*\* These numbers are too small to be conclusive at all – don't cite. . .

**QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY AGE AT FIRST PREGNANCY**

Ever used any birth control methods?*	Average Age at First Pregnancy
Yes	21.1
No	21.5

**n=161 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\*\*\* Results virtually identical; inconclusive

## QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY MALE OCCUPATION

'Yes' response to ever used any birth control methods?*	Percent 'Yes'	Total 'yes'	Total
Construction/General Labor	43.3	13	30
Agriculture	44.4	12	27
Retail and Services	41.4	12	29

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\*\*\* Results virtually identical; inconclusive

QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY MALE OCCUPATION STATUS

'Yes' response to ever used any birth control methods?*	Percent 'Yes'	Total 'yes'	Total
Permanent	48.4	45	93
Temporary or seasonal	42.5	17	40

**n=160 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\*\* Only 2 respondents (<2%) reported 'don't have an occupation' so they are excluded.

\*\*\*\* Results virtually identical; inconclusive

## QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY MALE WORKPLACE

'Yes' response to ever used any birth control methods?*	Percent 'Yes'
Outside of the home	48.2
Within the home	38.1

**n=160 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\*\* This difference btwn permanent and temporary is not statistically significant

\*\*\* This difference btwn permanent and outside and within the home is not statistically significant

**QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY FEMALE OCCUPATION**

'Yes' response to ever used any birth control methods?*	Percent 'Yes'
Artisan	51.2
Retail and Services	48.5

**n=160 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\*\* Other occupations are excluded b/c their numbers are too low to be of significance

\*\*\*\* Results virtually identical; inconclusive

QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY FEMALE  
OCCUPATION STATUS

'Yes' response to ever used any birth control methods?*	Percent 'Yes'
Don't have an occupation	34.0
Permanent	53.1
Temporary	48.4

**n=160 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\*\* Difference in 'yes' responses btwn. those that 'Don't have an occupation' and those reporting 'permanent' work is statistically significant at 0.05 level; others not significant.

QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY FEMALE OCCUPATION STATUS (Female respondents only; excludes males)

'Yes' response to ever used any birth control methods?*	Percent 'Yes'
Don't have an occupation	27.3
Permanent	46.0
Temporary	23.9

**n=140 responses**

\* Excludes those with 'no sexual experience', those unaware of any birth control methods, and all males.

QUESTION 25 (EVER USED A BIRTH CONTROL METHOD) BY FEMALE  
WORKPLACE

'Yes' response to ever used any birth control methods?*	Percent 'Yes'
Outside of the home	51.5
Within the home	49.2

**n=160 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\*\*\* Results virtually identical; inconclusive

## QUESTION 26 (EXCLUDING THOSE WITH 'NO SEXUAL EXPERIENCE')

Currently using birth control methods	% of All Respondents	% of Females	% of Males
No	64.74	66.67	61.11
Yes	35.26	33.33	38.89

**n=156 responses**

\* Excludes those with 'no sexual experience', as well as those that answered 'no' to question 21 and those that answered 'yes' to question 26


## QUESTION 26 (INCLUDES THOSE WITH NO SEXUAL EXPERIENCE)

Currently using birth control methods	Percent of Respondents	Total Respondents
No	77.27	187
Yes	22.73	55

242

**n=242 responses**

## QUESTION 27




<b>Respondents: 97</b>	Percent of Respondents	Number of Responses
Don't have a partner	20.62	20
Menopause or hysterectomy	3.09	3
Sterile or infertile	5.15	5
Want More Children	5.15	5
Opposed to family planning	2.06	2
Partner opposed to FP	2.06	2
Religion	17.53	17
Not understanding method	4.12	4
Health concerns	5.15	5
Interferes with body	18.56	18
Don't know about birth control	2.06	2
Too far way to access	3.09	3
Not currently interested	5.15	5
Currently pregnant	7.22	7
Other	11.34	11
	112.37	109

**n=97 respondents (after excluding 170 that answered 'no' to Question 21, those with no sexual experience, and those that answered 'yes' to Question 26)**

\* Percent exceeds 100% because respondents were instructed to 'check all that apply'

\*\* The data in this table and chart do not include those with sexual experience

## QUESTION 28




<b>Responses: 55</b>	Percent of Respondents	Number of Responses
Condoms	12.73	7
Female sterilization	21.82	12
Male sterilization	0.00	0
Abstinence	5.45	3
Withdrawal	1.82	1
Pill	3.64	2
Implant (Norplant, Jadelle)	1.82	1
IUD	1.82	1
Injection	34.55	19
Vaginal methods (diaphragm, sponge)	3.64	2
Rhythm	29.09	16
Collar	7.27	4
Billings (temp. method)	0.00	0
	123.64	68

**n=55 respondents (after excluding 170 that answered 'no' to Question 21 and 187 that answered 'no' to Question 26)**

\* Percent exceeds 100% because respondents were instructed to 'check all that apply'

## QUESTION 28 (WHICH BIRTH CONTROL METHODS DO YOU USE) BY GENDER



<b>Birth Control Methods Currently Used?</b>	<b>Females</b>	<b>Males</b>
Condoms	8.82	19.05
Female sterilization	26.47	14.29
Male sterilization	0.00	0.00
Abstinence	0.00	14.29
Withdrawal	0.00	4.76
Pill	2.94	4.76
Implant	0.00	4.76
IUD	2.94	0.00
Injection	38.24	28.57
Vaginal Methods	0.00	9.52
Rhythm	26.47	33.33
Collar	5.88	9.52
Billings	0.00	0.00
	111.76	142.86


**n=34 female respondents (those answering 'no' to question #26 not asked this question)**

**n=21 male respondents (those answering 'no' to question #26 not asked this question)**

\* Responses exceed respondents and percent exceeds 100% because respondents were instructed to 'check all that apply'

\* Only 23% (55 respondents) answered this question b/c others answered 'no' to question #26.

## QUESTION 29




<b>Responses: 55</b>	Percent of Respondents	Number of Responses
APROFAM clinic	10.91	6
APROFAM promoter	3.64	2
Volunteer promoter	16.36	9
Private hospital or clinic	14.55	8
Pharmacy	9.09	5
Public hospital	5.45	3
Health center	34.55	19
Community health post	0.00	0
Church	10.91	6
Social security facility (IGSS)	3.64	2
Other	1.82	1
	110.91	61

**n=55 respondents (after excluding 170 that answered 'no' to Question 21 and 187 that answered 'no' to Question 26)**

\* Percent exceeds 100% because Respondents were instructed to 'check all that apply'

## QUESTION 29 (SOURCE OF BIRTH CONTROL METHODS) BY GENDER



Where did you get your birth control method from?	% Female	% Male
APROFAM clinic	11.8	9.5
APROFAM promoter	2.9	4.8
Volunteer promoter	14.7	14.3
Private hospital or clinic	20.6	4.8
Pharmacy	2.9	19.0
Public hospital	8.8	0.0
Health center	41.2	23.8
Community health post	0.0	0.0
Church	2.9	23.8
Social Security facility (IGSS)	5.9	0.0


**n=34 female respondents (those answering 'no' to question #26 not asked this question)**

**n=21 male respondents (those answering 'no' to question #26 not asked this question)**

\* Responses exceed respondents and percent exceeds 100% because respondents were instructed to 'check all that apply'

\* Only 23% (55 respondents) answered this question b/c others answered 'no' to question #26.

QUESTION 30




**Total Respondents: 147**

	Percent	Total #
Plan to use in next 12 months	18.37	27
Plan to use later than 12 months	4.76	7
Not sure when	10.20	15
Do not have plans to use birth control method	66.67	98

\* Excludes those that are unaware of any birth control methods (question 21) and those with 'no sexual experience' (question 11) (only 1 person with no sexual experience said 'plan to use later than 12 mos.; all others w/no sexual experience responded 'do not have plans' or 'not sure when').

QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY LEVEL OF EDUCATION COMPLETED



No plans (or not sure when) for using birth control	Percent 'No'	Total 'No'	Total
Primary/elementary	85.5	53	62
Middle School/Junior High	74.3	26	35
Secondary/High School	57.1	20	35

132


**n=132 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* The 'None' and 'University' categories of education completed are excluded because too few of them responded to this question

\*\*\* Differences between Primary/Elementary and Secondary/High School are highly significant, at the 0.01 level; others are not significant with respect to one another.

QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY AGE



No plans (or not sure when) for using birth control*	Percent 'No'	Total 'No'	Total
20-24	63.2	12	19
25-29	62.5	20	32
30-34	76.0	19	25
35-39	83.3	20	24
40-44	83.3	15	18
45-49	96.2	25	26


144

**n=144 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* Only 2 respondents to this question aged 15-19, so they are excluded

QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY MALE OCCUPATION



No plans (or not sure when) for using birth control*	Percent 'No'	Total 'No'	Total
Construction/general labor	74.1	20	27
Agriculture	81.5	22	27
Retail and Services	63.0	17	27

81

**n= 81 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* None of the percentage differences between groups is statistically significant

QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY NUMBER OF CHILDREN

No plans (or not sure when) for using birth control*	Percent 'No'	Total 'No'	Total
1-2 children	69.8	30	43
3-4 children	83.3	35	42
5-6 children	73.9	17	23
7-8 children	81.3	13	16

**n= 90 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* Too few respondents with '0' or 'Over 8' children so they are excluded

\*\*\* None of these differences is statistically significant.

QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY CIVIL STATUS

No plans (or not sure when) for using birth control	Percent 'No'	Total 'No'	Total
Single	85.7	12	14
Married	73.5	83	113


127

**n=127 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* Too few respondents in other civil status categories to include their responses here

QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY FEMALE OCCUPATION STATUS



No plans (or not sure when) for using birth control*	Percent 'No'	Total 'No'	Total
Don't have an occupation	80.5	33	41
Permanent	71.0	44	62
Temporary	86.2	25	29

132

**n= 132 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* Percentage differences between groups are not statistically significant

**QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY GENDER**

No plans (or not sure when) for using birth control	Percent 'No'	Total 'No'	Total
Female	76.8	73	95
Male	76.5	39	51

146

**n=146 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\*\*\* Results virtually identical; inconclusive

QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY RELIGIOUS AFFILIATION

No plans (or not sure when) for using birth control	Percent 'No'	Total 'No'	Total
Catholic	77.7	73	94
Evangelical	72.7	32	44


138

**n=138 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\*\*\* Results virtually identical; inconclusive

QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY HOUSEHOLD AMENITIES



No plans (or not sure when) for using birth control*	Percent 'No'	Total 'No'	Total
Car or pick-up truck	68.6	24	35
Television	75.8	100	132
Telephone/cell phone	74.8	89	119
In-house well	68.2	15	22
Bicycle	75.0	78	104
	362.3		412

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* Total exceeds respondents and percent exceeds 100% because respondents instructed to select 'all that apply'

\*\*\*\* Results virtually identical; inconclusive

QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY MALE OCCUPATION STATUS

No plans (or not sure when) for using birth control*	Percent 'No'	Total 'No'	Total
Permanent	71.9	64	89
Temporary or Seasonal	80.0	28	35

124

**n= 124 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* Percentage differences between groups are not statistically significant

\*\*\*\* Results virtually identical; inconclusive

QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY MALE OCCUPATION WORKPLACE

No plans (or not sure when) for using birth control*	Percent 'No'	Total 'No'	Total
Outside of the home	75.2	76	101
Within the home	66.7	14	21

122

**n= 122 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* Percentage differences between groups are not statistically significant

\*\*\*\* Results virtually identical; inconclusive

QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY FEMALE OCCUPATION

No plans (or not sure when) for using birth control*	Percent 'No'	Total 'No'	Total
Artisan	76.7	33	43
Retail and Services	68.8	22	32
			75

**n= 75 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* Percentage differences between groups are not statistically significant

\*\*\*\* Results virtually identical; inconclusive

QUESTION 30 (DO NOT HAVE PLANS TO USE A BIRTH CONTROL METHOD, OR NOT SURE WHEN) BY FEMALE OCCUPATION WORKPLACE

No plans (or not sure when) for using birth control*	Percent 'No'	Total 'No'	Total
Outside of the home	71.0	22	31
Within the home	77.2	44	57

88


**n= 88 responses**

\* Excludes those with 'no sexual experience' and those unaware of any birth control methods

\*\* Percentage differences between groups are not statistically significant

\*\*\*\* Results virtually identical; inconclusive

## QUESTION 31 (EXCLUDING RESPONDENTS WITH NO SEXUAL EXPERIENCE)




<b>Responses: 112</b>	Percent of Respondents*	Number of Responses
Infrequent sexual activity	3.57	4
Don't have a partner	21.43	24
Menopause or hysterectomy	8.93	10
Sterile or infertile	2.68	3
Want more children	3.57	4
Partner opposed to FP	6.25	7
Religion	16.96	19
Lack of knowledge	1.79	2
Health concerns	8.04	9
Interferes with body	16.96	19
Don't know about BC methods	2.68	3
BC expensive / too far away	1.79	2
Not interested / unnecessary	19.64	22
Other	5.36	6
	119.64	134

**n=112 respondents (after excluding those without sexual experience, 170 that answered 'no' to Question 21 and excluding 35 that answered 'a' or 'b' for Question 30)**

\* Percent exceeds 100% because respondents were instructed to 'check all that apply'

## QUESTION 32



<b>Responses: 35</b>	Percent of Respondents	Number of Responses
Condoms	20.00	7
Female sterilization	8.57	3
Male sterilization	0.00	0
Abstinence	2.86	1
Withdrawal	2.86	1
Pill	2.86	1
Implant (Norplant, Jadelle)	2.86	1
IUD	2.86	1
Injection	51.43	18
Vaginal methods (diaphragm, sponge)	5.71	2
Rhythm	5.71	2
Collar	11.43	4
Billings (temp. method)	2.86	1
Don't know	14.29	5
Other	0.00	0
	134.29	47

**n = 35 respondents (after excluding 170 that answered 'no' to Question 21 and answered 'c' or 'd' to Question 30)**

\* Percent exceeds 100% because Respondents were instructed to 'check all that apply'

## QUESTION 33

---

Total Respondents: 220

Comfortable Visiting Family Planning Clinic or Provider	Percent of Respondents
Yes	80.91
No	19.09
	100.00

**n=220 respondents (after excluding 170 that are not aware of birth control methods)**


**QUESTION 33 (COMFORTABLE VISITING A FAMILY PLANNING CLINIC OR FAMILY PLANNING PROVIDER) BY GENDER**

'Yes' response to feel comfortable visiting a family planning clinic or provider?*	Percent 'Yes'
Female	85.2
Male	71.8

**n=220 responses**

\* The difference between females' and males' responses to this question is statistically significant at the 0.05 level

QUESTION 33 (COMFORTABLE VISITING A FAMILY PLANNING CLINIC OR FAMILY PLANNING PROVIDER), BY GENDER AND AGE




'Yes' response to comfortable visiting a family planning clinic?*	Females Percent 'Yes'	Males Percent 'Yes'
15-19	83.3	91.7
20-29	91.1	72.0
30-39	85.7	82.4
40-49	75.0	47.1

**n=220 responses: 149 females / 71 males**

\* The difference between females vs. males ages 20-29 is statistically significant at the 0.05 level.

\*\* No statistical significance achieved for females vs. males ages 40-49 due to lower number of respondents in this age category

QUESTION 33 (COMFORTABLE VISITING A FAMILY PLANNING CLINIC OR FAMILY PLANNING PROVIDER) BY AGE



'Yes' response to comfortable visiting a family planning clinic?*	Percent 'Yes'
15-19	85.7
20-29	85.2
30-39	84.6
40-49	64.4

**n=220 responses**

\* The difference between responses to this question of those aged 40-49 is statistically significant vs. other age groups, at the 0.05 level (and at the 0.01 level for the 40-49 age group vs. the 20-29 age group)

QUESTION 33 (COMFORTABLE VISITING A FAMILY PLANNING CLINIC OR FAMILY PLANNING PROVIDER) BY SEXUAL EXPERIENCE

'Yes' response to comfortable visiting a family planning clinic?*	Percent 'Yes'
No Sexual Experience	88.2
With Sexual Experience	76.9

**n=219 responses**

\* The difference between responses to this question of those with no sexual experience vs. those with sexual experience is statistically significant, at the 0.05 level. The high proportion of those with no sexual experience that are comfortable visiting a clinic or provider is largely driven by those aged 20-24, who report – by 96.1% - that they feel comfortable with such a visit. Also, 87% of those with no sexual experience are under age 25.

**QUESTION 33 (COMFORTABLE VISITING A FAMILY PLANNING CLINIC OR FAMILY PLANNING PROVIDER), BY LEVEL OF EDUCATION COMPLETED**

'Yes' response to comfortable visiting a family planning clinic?*	Percent 'Yes'
Primary/Elementary	72.1
Middle School/Junior High	89.4
Secondary/High School	86.1

**n=199 responses**

\* The difference between responses to this question for those with a primary/elementary educ. is statistically significant (at the 0.05 level) with respect to those with a middle school and secondary education.

\*\* Outcomes for those with no education ('none') and a 'university' education are excluded because there were too few respondents in these categories.

**QUESTION 33 (COMFORTABLE VISITING A FAMILY PLANNING CLINIC OR FAMILY PLANNING PROVIDER), BY CIVIL STATUS**

'Yes' response to comfortable visiting a family planning clinic?*	Percent 'Yes'
Single	83.3
Married	77.5

**n=201 responses**

\* The difference between single and married respondents to this question is not statistically significant


**QUESTION 33 (COMFORTABLE VISITING A FAMILY PLANNING CLINIC OR FAMILY PLANNING PROVIDER), BY RELIGION**

'Yes' response to feel comfortable visiting a family planning clinic or provider?*	Percent 'Yes'
Catholic	77.6
Evangelical	85.3

**n=220 responses**

\* The difference between respondents of these faiths is not statistically significant

## QUESTION 34



Why not comfortable visiting FP clinic or provider?	Percent of Respondents*	Total Responses*
Don't have a partner	13.64	6
Language (clinic staff don't speak Kakchiquel)	0.00	0
Don't know where the clinic is	2.27	1
Costs too much	2.27	1
Clinic is too far away	0.00	0
Privacy	11.36	5
Partner is opposed to family planning	4.55	2
Religion	22.73	10
Don't like modern methods in clinics	9.09	4
Poor counseling services and info. at clinic	2.27	1
Don't like the staff at the clinic	0.00	0
Not currently interested	20.45	9
Don't know	9.09	4
Not necessary	11.36	5
Other	11.36	5
	120.45	53

**n=44 respondents (the 170 answering 'no' to question 21 or 178 answering 'yes' to question 33 were not asked this question)**

\* Responses exceed 100% because respondents were instructed to 'check all that apply'


## QUESTION 35



Total Respondents: 395

It is a good practice*	80.00
It is a bad practice	8.35
Don't know/Haven't thought about it	11.65
	100.00

## QUESTION 36




Wait how many years before first pregnancy?	Percent of Respondents
Under 1 Yr.	4.31
1+ Yrs.*	42.75
2+ Yrs.	35.29
3+ Yrs.	11.37
4+ Yrs.	1.57
5+ Yrs.	4.71

100.00

**Average years to wait before 1st pregnancy = 1.8 Years**

**n=255 (Excludes the 79 respondents that answered 'b' or 'c' for Question 35 and excludes 58 that did not respond to this question and 34 that answered age rather than years for this question)**


QUESTION 37



**Total Responses: 409**

It is a good practice*	82.15
It is a bad practice	8.56
Don't know/Haven't thought about it	9.29
	100.00

QUESTION 37 (THINK SPACING PREGNANCIES IS A 'GOOD PRACTICE'), BY  
QUESTIONS 21, 25, 26, AND 30




Aware of birth control methods	61.0
Have used a birth control method	47.1
Currently using a birth control method	36.9
Plan to use a method within next 12 months	19.3
Plan to use a method later than 12 months	7.4

\* Excludes respondents with no sexual experience

\*\* The difference between each category of birth control awareness and prevalence, vs. those that think spacing pregnancies is a 'good practice' is highly statistically significant, at the 0.01 level.

## QUESTION 38


**Total Responses: 325**

Wait how many years between children?	Percent of Respondents	Total Responses
Under 1 Yr.	0.31	1
1+ Yrs.*	0.92	3
2+ Yrs.	14.77	48
3+ Yrs.	36.00	117
4+ Yrs.	13.85	45
5+ Yrs.	28.00	91
6+ Yrs.	3.38	11
7 Yrs. and Over	2.77	9
	100.00	325

**Average years to wait between children = 3.8**

**n=325 (Excludes the 73 respondents that answered 'b' or 'c' for Question 37 and the 27 that did not respond to this question)**


## QUESTION 39



Total Responses: 406

It is a good practice	85.71
It is a bad practice	8.37
Don't know/Haven't thought about it	5.91
	100.00

QUESTION 39 (THINK LIMITING FAMILY SIZE IS A 'GOOD PRACTICE'), BY QUESTIONS 21, 25, 26, AND 30




	Percent 'Yes'
Aware of birth control methods	64.1
Have used a birth control method	48.9
Currently using a birth control method	39.8
Plan to use a method within next 12 months	21.8
Plan to use a method later than 12 months	9.1

\* Excludes respondents with no sexual experience

\*\* The difference between each category of birth control awareness and prevalence, vs. those that think limiting family size is a 'good practice' is highly statistically significant, at the 0.01 level

## QUESTION 40




**Total Responses: 324**

How many children would you like to have?	Percent of Respondents	Total Responses
0	0.62	2
1+ *	3.40	11
2+	26.85	87
3+	29.63	96
4+	20.68	67
5+	5.86	19
6+	6.79	22
7+	2.78	9
8+	1.85	6
9 or Over	1.54	5
	100.00	324

**Average number of children desired = 3.5**


**n=324 (Excludes the 58 respondents that answered 'b' or 'c' for Question 39 and the 43 that did not respond to this question)**

## QUESTION 41

**Responses: 412**

Yes	9.95
No	83.01
Don't Know	5.83
Haven't thought about it	1.21
	100.00

QUESTION 41 (NO PLANS TO BECOME PREGNANT W/PARTNER IN NEXT YR.),  
BY QUESTIONS 21, 25, 26, AND 30



	Percent 'Yes'*
Aware of birth control methods	60.2
Have used a birth control method	49.6
Currently using a birth control method	38.3
Plan to use a method within next 12 months	19.1
Of those not currently using a method, plan to in next 12 months	7.4

Excludes respondents with no sexual experience

The difference between each category of birth control awareness and prevalence, vs. those with no plans to become pregnant is highly statistically significant at the 0.01 level.

\* 'Yes' means yes to no plans to become pregnant w/partner next 12 months

**END OF QUESTIONNAIRE SECTION (Appears at bottom of last page of questionnaire)**

QUESTIONNAIRE COMPLETED?

<b>Responses: 425</b>	Percent of Respondents	Number of Respondents
Questionnaire Completed		
Yes	96.47	410
No	3.53	15
	100.00	425

RESPONDENT'S GENDER

<b>Responses: 425</b>	Percent of Respondents	Number of Respondents
Respondent's Gender		
Female	69.18	294
Male	30.82	131
	100.00	425

PARTNER PRESENT DURING INTERVIEW?

<b>Responses: 425</b>	Percent of Respondents	Number of Respondents
Partner present in interview		
Yes	38.35	163
No	59.53	253
Blank	2.12	9
	100.00	425

TOTAL NUMBER OF RESPONDENTS: 425

TOTAL NUMBER OF HOUSEHOLDS: 420

**PROFILE OF QUESTIONNAIRE RESPONDENTS VS. CENSUS CHARTS**

